

Automata and Formal Languages – Homework 6

Due 3.12.2012.

Exercise 6.1

Let us consider $\Sigma = \{0, 1\}$ and the msbf encoding.

(a) Construct the minimal DFAs accepting the languages L_1 , L_2 , and L_3^2 defined below.

- $L_1 = \{w \mid \text{msbf}^{-1}w \bmod 3 = 0\} \cap \Sigma^4$.
- $L_2 = \{w \mid \text{msbf}^{-1}w \text{ is a prime}\} \cap \Sigma^4$.
- $L_3^k = \{ww \mid w \in \Sigma^k\}$.

(b) How many states has the minimal DFA accepting L_3^k with respect to k ?

Exercise 6.2

Let $\Sigma = \{0, 1\}$ and for $a, b \in \Sigma$ we define $a \cdot b$ to be the usual multiplication (also an analog of Boolean *and*) and $a \oplus b$ to be 0 if $a = b = 0$, and 1 otherwise (an analog of Boolean *or*).

Consider the following function $f : \Sigma^6 \rightarrow \Sigma$ defined by

$$f(x_1, x_2, x_3, x_4, x_5, x_6) = (x_1 \cdot x_2) \oplus (x_3 \cdot x_4) \oplus (x_5 \cdot x_6)$$

(a) Construct the minimal DFA recognizing $L_1 = \{x_1x_2x_3x_4x_5x_6 \mid f(x_1, x_2, x_3, x_4, x_5, x_6) = 1\}$.

(b) Construct the minimal DFA recognizing $L_2 = \{x_1x_3x_5x_2x_4x_6 \mid f(x_1, x_2, x_3, x_4, x_5, x_6) = 1\}$.

Note the difference in the ordering! Give an example of $w \in L_1 \setminus L_2$.

Note the difference in the size of the automata. More generally, consider

$$f(x_1, \dots, x_{2n}) = \bigoplus_{1 \leq k \leq n} (x_{2k-1} \cdot x_{2k})$$

and languages according to orderings $x_1x_2 \dots x_{2n-1}x_{2n}$ and $x_1x_3 \dots x_{2n-1}x_2x_4 \dots x_{2n}$. Although both languages encode “equivalent” information, their minimal automata differ vastly in the size: for the former ordering the size is linear in n , whereas for the latter it is exponential.

Exercise 6.3

(a) Given two minimal DFAs accepting bounded languages L_1 and L_2 with words of length k , construct a minimal DFA accepting $L_1 \cup L_2$.

(b) For any language $L \subseteq \{0, 1\}^k$ of binary numbers of length k , we define $L + 1$ to be the language $\{w + 1 \bmod 2^k \mid w \in L\}$. Construct a minimal DFA accepting $L + 1$ from a minimal DFA accepting L .

(c) Let $A = (Q, \{0, 1\}, \delta, q_0, F)$ be a minimal DFA such that $\mathcal{L}(A)$ is a bounded language of binary numbers. What language is accepted by the automaton $A' = (Q, \{0, 1\}, \delta', q_0, F)$, where $\delta'(q, b) = \delta(q, 1 - b)$?