

Model Checking – Exercise sheet 6

Exercise 6.1

Consider the Promela model below which addresses the mutual exclusion problem by using a semaphore s . When s is false, a process may enter its critical section and set s to true. The semaphore is reset to false when the process leaves its critical section.

```
1 bool s;  
2  
3 active [2] proctype m() {  
4   idle:  
5     skip;  
6   wait:  
7     atomic { (!s) -> s = true; }  
8   cs:  
9     s = false;  
10    goto idle;  
11 }
```

We consider the following properties:

- a) Both processes cannot enter the critical section at the same time.
- b) Whenever a process waits, it will eventually enter the critical section.

Follow step-by-step the outline given below to model check the properties:

- (i) Construct a state transition system from the model.
- (ii) Write down an atomic proposition AP and an LTL formula ϕ for each properties.
- (iii) Construct a Büchi automaton $\mathcal{B}_{\neg\phi}$ for the negation of the formula ϕ .
- (iv) Construct from the transition system the Kripke structure \mathcal{K} and the Büchi automaton $\mathcal{B}_{\mathcal{K}}$ over AP .
- (v) Construct the intersection Büchi automaton \mathcal{B} for $\mathcal{B}_{\mathcal{K}}$ and $\mathcal{B}_{\neg\phi}$.
- (vi) Run the emptiness algorithm in the lecture to check whether $\mathcal{L}(\mathcal{B}) = \emptyset$:
 - If $\mathcal{L}(\mathcal{B}) = \emptyset$, the property holds, i.e. $\mathcal{K} \models \phi$.
 - If $\mathcal{L}(\mathcal{B}) \neq \emptyset$, the property does not hold, i.e. $\mathcal{K} \not\models \phi$.
In this case, find a counterexample run that violates the property. How to obtain a counterexample in general?

(vii) Use Spin to confirm your results.

First do step (i), and then steps (ii)-(vii) separately for each property (a) and (b). Write down all intermediary results.