



## Petri nets — Homework 3

Due 31.05.2017

### Exercise 3.1

Let  $\mathcal{N}$  and  $\mathcal{N}'$  be respectively the left and right Petri nets below.



Use the backward algorithm to answer the following questions.

- Describe the set of initial markings from which  $\{p_2, p_2\}$  is coverable in  $\mathcal{N}$ . Illustrate this set.
- Determine whether  $\{q_1, q_3\}$  is coverable from  $\{q_1\}$  in  $\mathcal{N}'$ .
- Determine whether  $\{q_1, q_2\}$  is coverable from  $\{q_1\}$  in  $\mathcal{N}'$ .

### Exercise 3.2

A Petri net with reset, doubling and transfer arcs is a tuple  $(P, T, F, R, D, Tr)$  where  $(P, T, F)$  is a Petri net,

$$R \subseteq P \times T, D \subseteq T \times P, Tr \subseteq (P \times T) \cup (T \times P),$$

and  $F, R, D$  and  $Tr$  are pairwise disjoint. Let  $M \in \mathbb{N}^P$  and  $t \in T$ . We say that  $t$  is enabled at  $M$  if  $M(p) > 0$  for every  $(p, t) \in F$ . Firing  $t$  at  $M$  has the following effect:

- every arc  $(p, t) \in F$  consumes a token from  $p$ ;
- every arc  $(t, p) \in F$  produces a token in  $p$ ;
- every arc  $(p, t) \in R$  empties  $p$ ;
- every arc  $(t, p) \in D$  doubles the amount of tokens in  $p$ ;
- every arc  $(p, t) \in Tr$  empties  $p$ ;
- every arc  $(t, p) \in Tr$  adds  $\sum_{(q,t) \in Tr} M(q)$  tokens to  $p$ .








Show that the backward algorithm works for this extended class of Petri nets by showing that it is monotonic, i.e. show that for every markings  $X, X', Y' \in \mathbb{N}^P$ , if  $X \rightarrow Y$  and  $X' \geq X$ , then  $X' \rightarrow Y'$  for some  $Y' \geq Y$ .

**Exercise 3.3**

- (a) Show that Petri nets with inhibitor arcs are not monotonic.
- (b) Give a Petri net with reset arcs  $\mathcal{N}$  and a marking  $M$  such that  $(\mathcal{N}, M)$  is bounded, but such that there exists a sequence  $M \xrightarrow{\sigma} M' \xrightarrow{\sigma'} M''$  with  $M'' \geq M'$  and  $M'' \neq M'$ .

**Solution 3.1**

- (a) We execute the backward algorithm from  $M = (0, 2)$ . In order to build the whole set of initial markings, we ignore the stopping criterion based on  $M_0$ .

Iteration	$\text{pre}_{t_1}(m)$	$\text{pre}_{t_2}(m)$	$m$
0	—	—	
1			
2			
3	sets left unchanged		

The set of initial markings is  $\{M \in \mathbb{N}^2 : M \geq (0, 2) \text{ or } M \geq (2, 1) \text{ or } M \geq (3, 0)\}$ .

- (b) We want to determine whether  $M = (1, 0, 1)$  is coverable from  $M_0 = (1, 0, 0)$ . It is not the case, since executing the backward algorithm from  $M$  does not generate any marking less or equal to  $M_0$ :

Iteration	pre( $m$ )	$m$
0	—	$\{(1, 0, 1)\}$
1	$\text{pre}_{s_1}(1, 0, 1) = (1, 0, 1)$ $\text{pre}_{s_2}(1, 0, 1) = (0, 0, 2)$ $\text{pre}_{s_3}(1, 0, 1) = (2, 1, 0)$	$\{(1, 0, 1), (0, 0, 2), (2, 1, 0)\}$
2	$\text{pre}_{s_1}(1, 0, 1) = (1, 0, 1)$ $\text{pre}_{s_2}(1, 0, 1) = (0, 0, 2)$ $\text{pre}_{s_3}(1, 0, 1) = (2, 1, 0)$ $\text{pre}_{s_1}(0, 0, 2) = (1, 0, 2)$ $\text{pre}_{s_2}(0, 0, 2) = (0, 0, 3)$ $\text{pre}_{s_3}(0, 0, 2) = (1, 1, 1)$ $\text{pre}_{s_1}(2, 1, 0) = (2, 0, 0)$ $\text{pre}_{s_2}(2, 1, 0) = (1, 1, 1)$ $\text{pre}_{s_3}(2, 1, 0) = (3, 2, 0)$	$\{(1, 0, 1), (0, 0, 2), (2, 0, 0)\}$
3	$\text{pre}_{s_1}(2, 0, 0) = (2, 0, 0)$ $\text{pre}_{s_2}(2, 0, 0) = (1, 0, 1)$ $\text{pre}_{s_3}(2, 0, 0) = (3, 1, 0)$	$\underbrace{\{(1, 0, 1), (0, 0, 2), (2, 0, 0)\}}_{\text{unchanged}}$

- (c) We want to determine whether  $M' = (1, 1, 0)$  is coverable from  $M_0 = (1, 0, 0)$ . It is the case, since executing the backward algorithm from  $M'$  yields  $M_0$  after one iteration:

Iteration	pre( $m$ )	$m$
0	—	$\{(1, 0, 1)\}$
1	$\text{pre}_{s_1}(1, 1, 0) = (1, 0, 0)$ $\text{pre}_{s_2}(1, 1, 0) = (0, 1, 1)$ $\text{pre}_{s_3}(1, 1, 0) = (2, 2, 0)$	$\underbrace{\{(1, 0, 0), (0, 1, 1)\}}_{\geq M_0}$

### Solution 3.2

Let  $X, X'Y' \in \mathbb{N}^P$  and  $t \in T$  be such that  $X \xrightarrow{t} Y$  and  $X' \geq X$ . Let us first argue that  $t$  is enabled at  $X'$ :


$$\begin{aligned}
 t \text{ is enabled at } X &\iff X(p) > 0 \text{ for every } (p, t) \in F \\
 &\implies X'(p) > 0 \text{ for every } (p, t) \in F && \text{(since } X' \geq X) \\
 &\iff t \text{ is enabled at } X'.
 \end{aligned}$$

Let  $Y' \in \mathbb{N}^P$  be the marking such that  $X' \xrightarrow{t} Y'$ . Let  $p \in P$ . It remains to show that  $Y'(p) \geq Y(p)$ :

Case	Proof
$(p, t) \in F$	$Y'(p) = X'(p) - 1 \geq X(p) - 1 = Y(p)$
$(t, p) \in F$	$Y'(p) = X'(p) + 1 \geq X(p) + 1 = Y(p)$
$(p, t) \in R$	$Y'(p) = 0 = Y(p)$
$(t, p) \in D$	$Y'(p) = 2 \cdot X'(p) \geq 2 \cdot X(p) = Y(p)$
$(p, t) \in Tr$	$Y'(p) = 0 = Y(p)$
$(t, p) \in Tr$	$Y'(p) = X'(p) + \sum_{(q,t) \in Tr} X'(q) \geq X(p) + \sum_{(q,t) \in Tr} X(q) = Y(p)$


**Solution 3.3**

(a) Let  $\mathcal{N}$  be the following Petri net with inhibitor arcs:




We have  $(0, 0) \xrightarrow{t} (0, 1)$ , but  $t$  is not enabled at  $(1, 0)$ .

(b) Consider the following Petri net  $\mathcal{N}$  where the arc from  $p_3$  to  $t_3$  is a reset arc.



It is bounded since its reachability graph is finite:



Moreover, we have  $(0, 1, 1, 1, 0) \xrightarrow{\varepsilon} (0, 1, 1, 1, 0) \xrightarrow{t_3 t_1 t_2} (0, 1, 2, 1, 0)$ .