

## Petri nets — Homework 6

Due 27.06.2018

### Exercise 6.1


- (a) Give an  $S$ -system  $(\mathcal{N}, M_0)$  that is 1-bounded and such that  $|M_0| > 1$ .
- (b) Give a strongly connected  $T$ -system  $(\mathcal{N}, M_0)$  which is not live and such that  $M_0 \neq \mathbf{0}$ .
- (c) Give a bounded  $T$ -system  $(\mathcal{N}, M_0)$  which is not strongly connected and such that  $M_0 \neq \mathbf{0}$ .
- (d) Let  $(\mathcal{N}, M_0)$  be a  $T$ -system. Show that if  $(\mathcal{N}, M_0)$  is strongly connected and live, then it is bounded.
- (e) ★ Reprove (d), but this time without assuming that  $(\mathcal{N}, M_0)$  is live.

### Exercise 6.2

- (a) Let  $\mathcal{N} = (P, T, F)$  be a Petri net, and let  $s, t \in T$  be such that  $\bullet s \cap t \bullet = \emptyset$ . Show that if  $M \xrightarrow{ts} M'$ , then  $M \xrightarrow{st} M'$ .
- (b) Let  $\mathcal{N} = (P, T, F)$  be a Petri net which is not strongly connected. Show that  $P \cup T$  can be partitioned into two disjoint sets  $U, V \subseteq P \cup T$  such that  $F \cap (V \times U) = \emptyset$ .
- (c) Let  $U$  and  $V$  be a partition as in (b). Show that if  $M \xrightarrow{\sigma} M'$ , then there exist  $\sigma_U \in (T \cap U)^*$  and  $\sigma_V \in (T \cap V)^*$  such that  $\sigma = \sigma_U \sigma_V$  and  $M \xrightarrow{\sigma_U \sigma_V} M'$ .
- (d) Let  $(\mathcal{N}, M_0)$  be live and bounded. Use (a), (b) and (c) to show that  $\mathcal{N}$  is strongly connected.


### Exercise 6.3

- (a) Show that the problem of determining whether a  $T$ -system is *not live* belongs to NP.
- (b) Give a polynomial time algorithm for deciding liveness of  $T$ -systems.
- (c) Test whether the following  $T$ -system is live by using your previous algorithm:



**Exercise 6.4**

Consider the following free-choice system  $(\mathcal{N}, M_0)$ :



- (a) Give all minimal proper siphons of  $(\mathcal{N}, M_0)$ .
- (b) Use (a) to say whether  $(\mathcal{N}, M_0)$  is live or not.